



STATE OF MICHIGAN

DEPARTMENT OF NATURAL RESOURCES

LANSING



RICK SNYDER  
GOVERNOR

KEITH CREAUGH  
DIRECTOR

Michigan Department of Natural Resources  
**Chronic Wasting Disease Briefing Information - References**  
May 2018

**Deer Ecology**

1. Beringer, J., L. P. Hansen, J. A. Demand, J. Sartwell, M. Wallendorf, and R. Mange. 2002. Efficacy of translocation to control urban deer in Missouri: costs, efficiency, and outcome. *Wildlife Society Bulletin* 30(3): 767–774.
2. Clements, G. M., S. E. Hygnstrom, J. M. Gilsdorf, D. M. Baasch, M. J. Clements, and K. C. Vercauteren. 2011. Movements of white-tailed deer in riparian habitat: implications for infectious diseases. *Journal of Wildlife Management* 75(6): 1436-1442.
3. DelGiudice, G. D., M. S. Lenarz, and M. C. Powell. 2007. Age-specific fertility and fecundity in northern free-ranging white-tailed deer: evidence for reproductive senescence? *Journal of Mammalogy*. 88(2): 427-435.
4. DeNicola, A. J., D. R. Etter, T. Almendinger. 2008. Demographics of non-hunted white-tailed deer populations in suburban areas. *Human-Wildlife Conflicts*. 2(1): 102-109.
5. Doepper, R. V., C. A. Albright, M. A. MacKay, B. J. Rollo, and J. J. Ozoga. 2015. Characteristics of white-tailed deer trapped and tagged in Michigan's Upper Peninsula, 1989-2006. Michigan Department of Natural Resources, Wildlife Division Report No. 3605. 1-52.
6. Duquette, J. F., J. L. Belant, N. J. Svoboda, D. E. Beyer, D. E. and P. E. Lederle. 2014. Effects of maternal nutrition, resource use and multi-predator risk on neonatal white-tailed deer survival. *Plos One* 9(6): e100841. doi:10.1371/journal.pone.0100841
7. Duquette, J. F., J. L. Belant, N. J. Svoboda, D. E. Beyer, P. E. Lederle. 2015. Scale Dependence of female ungulate reproductive success in relation to nutritional condition, resource selection and multi-predator avoidance. *Plos One* 10(10): e0140433. doi:10.1371/journal.pone.0140433
8. Etter D.R., C.M. Nixon, J.B. Sullivan, and J.A. Thomas. 1995. Emigration and survival of orphaned female deer in Illinois. *Canadian Journal of Zoology* 73:440-445.
9. Etter, D. R. 2001. Ecology and Management of overabundant white-tailed deer from suburban Chicago, Illinois. Dissertation. University of Illinois, Urbana, IL. 1-107.
10. Etter, D. R., K. M. Hollis, T. R. V. Deelen, D. R. Ludwig, J. E. Chelsvig, C. L. Anchor, and R. E. Warner. 2002. Survival and movements of white-tailed deer in suburban Chicago, Illinois. *The Journal of Wildlife Management* 66(2): 500-510.
11. Grubaugh, J. W., V. C. Pederson, and F. D. Loomis. 1988. Reproductive performance of white-tailed deer (*Odocoileus virginianus*) in west central Illinois. *Transactions of the Illinois State Academy of Science*. 81: 189-195.
12. Grund, M.D., J.B. McAninch, and E.P. Wiggers. 2002. Seasonal Movements and Habitat Use of Female White-Tailed Deer Associated with an Urban Park. *The Journal of Wildlife Management* 66(1):123-130.
13. Hiller, T. L. and H. Campa 2008. Age-specific survival and space use of white-tailed deer in southern Michigan. *Michigan Academician*. 38:101-119.
14. Holzenbein, S., and R. L. Marchinton. 1992. Emigration and mortality of orphaned male white-tailed deer. *Journal of Wildlife Management* 56(1): 147-153.
15. Jacobsen, T. C. 2017. Extra-home range and excursive movements by white-tailed deer. M.S. Thesis, Auburn University, Auburn Alabama. 1-89.
16. Karns, G. R., R. A. Lancia, C. S. DePerno, and M. C. Conner. 2011. Investigation of adult male white-tailed deer excursions outside their home range. *Southeastern Naturalist*. 10(1): 39-52.
17. Kolodzinski, J. J., L. V. Tannenbaum, L. I. Muller, D. A. Osborn, K. A. Adams, M. C. Conner, W.M. Ford, and K. V. Miller. 2010. Excursive behaviors by female white-tailed deer during estrus at two Mid-Atlantic Sites. *American Midland Naturalist*. 163(2): 366-373.
18. McCullough, D. R. 1979. The George Reserve deer herd: population ecology of a k-selected species. *Journal of Mammalogy*. 62(1): 218-219.
19. Nelson, M. E. and L. D. Mech. 1981. Deer social organization and wolf predation in northeastern Minnesota. *Wildlife Monographs*. 77: 6-53.
20. Nelson, M. E. 1993. Natal dispersal and gene flow in white-tailed deer in northeastern Minnesota. *Journal of Mammalogy*. 74(2): 316-322.

21. Nelson, M. E. 1995. Winter range arrival and departure of white-tailed deer in northeastern Minnesota. Canadian Journal of Zoology-Revue Canadienne De Zoologie. 73(6): 1069-1076.
22. Nixon C.M., L.P. Hansen, P.A. Brewer, and J.E. Chelvig. 1991 Ecology of White-Tailed Deer in an Intensively Farmed Region of Illinois. Wildlife Monograph, No. 118, 77 pp.
23. Nixon, C. M., and D. Etter. 1995. Maternal age and fawn rearing success for white-tailed deer in Illinois. American Midland Naturalist 133(2): 290-297.
24. Nixon, C. M., L. P. Hansen, P. A. Brewer, J. E. Chelvig, J. B. Sullivan, T. L. Esker, R. Koerkenmeier D. R. Etter, J. Cline, and J. A. Thomas. 1994. Behavior, dispersal, and survival of male white-tailed deer in Illinois. Illinois Natural History Survey Biological Notes (139): 1-30.
25. Nixon, C. M., L. P. Hanson, P. A. Brewer, J. E. Chelvig, T. L. Esker, D. Etter, J. B. Sullivan, R. G. Koerkenmeier, and P. C. Mankin. 2001. Survival of white-tailed deer in intensively farmed areas of Illinois. Canadian Journal of Zoology. 79(4): 581-588.
26. Nixon, C. M., P. C. Mankin, D. R. Etter, L. P. Hansen, P. A. Brewer, J. E. Chelvig, T. L. Esker, and J. B. Sullivan. 2007. White-tailed deer dispersal behavior in an agricultural environment. American Midland Naturalist. 157(1): 212-220.
27. Nixon, C. M., P. C. Mankin, D. R. Etter, L. P. Hansen, P. A. Brewer, J. E. Chelvig, T. L. Esker, and J. B. Sullivan. 2008. Migration behavior among female white-tailed deer in central and northern Illinois. American Midland Naturalist. 160(1): 178-190.
28. Olson, A. K., W. D. Gulsby, B. S. Cohen, M. E. Byrne, D. A. Osborn, and K. V. Miller. 2015. Spring excursions of male white-tailed deer (*Odocoileus virginianus*) in north central Pennsylvania. American Midland Naturalist 174(1): 96-104.
29. Peterson, B. E., D. J Storm, A. S. Norton, and T. R. Van Deelen. 2017. Landscape influence on dispersal of yearling male white-tailed deer. Journal of Wildlife Management 81(8): 1449-1456.
30. Piccolo, B. P., T. R. Van Deelen, K. Hollis-Etter, D. R. Etter, R. E. Warner, and C. Anchor. 2010. Behavior and survival of white-tailed deer neonates in two suburban forest preserves. Canadian Journal of Zoology 88(5): 487–495.
31. Porter, W. F., H. B. Underwood, and J. L. Woodard. 2004. Movement behavior, dispersal, and the potential for localized management of deer in a suburban environment. Journal of Wildlife Management 68(2): 247–256.
32. Storm D.J., C.K. Nielsen, E.M. Schauber, and A. Woolf. 2007. Space Use and Survival of White-Tailed Deer in an Exurban Landscape. Journal of Wildlife Management 71(4):1170-1176.
33. Van Deelen, T. R. 1995. Seasonal migrations and mortality of white-tailed deer in Michigan's Upper Peninsula. Ph.D. Thesis. Michigan State University, East Lansing. 1-158.
34. Van Deelen, T. R., H. Campa, M. Hamady, and J. B. Haufler. 1998. Migrations and seasonal range dynamics of deer using adjacent deeryards in northern Michigan. The Journal of Wildlife Management 62(1): 205-213.
35. Van Deelen, T. R., H. Campa, J. B. Haufler, and P. D. Thompson. 1997. Mortality patterns of white-tailed deer in Michigan's Upper Peninsula. The Journal of Wildlife Management 61(3): 903-910.
36. Verme, L. J. 1973. Movements of white-tailed deer in upper Michigan. Journal of Wildlife Management 37(4): 545-552.
37. Verme, L. J. 1991. Decline in doe fawn fertility in southern Michigan deer. Canadian Journal of Zoology 69(1):25-28.
- Walter, W. D., K. C. VerCauteren, H. Campa, W. R. Clark, J. W. Fisher, S. E. Hygnstrom, N. E. Mathews, C. K. Nielsen, E. M. Schauber, T. R. Van Deelen, and S. 38. R. Winterstein. 2009. Regional assessment on influence of landscape configuration and connectivity on range size of white-tailed deer. Landscape Ecology 24(10): 1405-1420

## Baiting

1. Becker, D.J. & Hall, R.J. (2014). Too much of a good thing: Resource provisioning alters infectious disease dynamics in wildlife. *Biology Letters*, 10(7).
2. Becker, D. J., Streicker, D. G., & Altizer, S. (2015). Linking anthropogenic resources to wildlife-pathogen dynamics: a review and meta-analysis. *Ecology Letters*, 18(5), 483–495.
3. Bollinger, T., Caley, P. Merrill, E., Messier, F., Miller, M.W., Samuel, M.D., & Vanopdenbosch, E. (2004). Chronic wasting disease in Canadian wildlife: An expert opinion on the epidemiology and risks to wild deer. Saskatoon, Canada: Canadian Cooperative Wildlife Health Centre, Western College of Veterinary Medicine.
4. Conner, M.M. & Miller, M.W. (2004). Movement patterns and spatial epidemiology of a prion disease in mule deer population units. *Ecological Applications*, 14(6), 1870-1881
5. Cosgrove, M.K., O'Brien, D.J., & Ramsey, D.S.L. (2014). Baiting and feeding revisited: Exploring factors influencing transmission of bovine tuberculosis among deer and to cattle. In VI International M. bovis Conference, p. 17. Cardiff, UK.

6. Frawley, B.J. (2000). 1999 Michigan deer hunter survey: Deer baiting. Michigan Department of Natural Resources, Wildlife Report No. 3315.
7. Frawley, B.J. (2002). Deer baiting in the Northeast Lower Peninsula of Michigan. Michigan Department of Natural Resources, Wildlife Report No. 3372.
8. Frawley, B.J. (2002). Factors affecting the sale of antlerless deer hunting licenses in the northeast lower peninsula. Michigan Department of Natural Resources, Wildlife Report No. 3373.
9. Frawley, B.J. (2002). Michigan deer harvest survey report: 2001 seasons. Michigan Department of Natural Resources, Wildlife Report No. 3371.
10. Frawley, B.J. (2017). 2016 Michigan deer harvest survey report. Michigan Department of Natural Resources, Wildlife Report No. 3639.
11. Haus, J. M., Eyler, T. B., Duda, M. D., & Bowman, J. L. (2017). Hunter perceptions toward chronic wasting disease: Implications for harvest and management: Hunter Perceptions Toward CWD. *Wildlife Society Bulletin*, 41(2), 294–300.
12. Heberlein, T. A. (2004). "Fire in the Sistine Chapel": How Wisconsin Responded to Chronic Wasting Disease. *Human Dimensions of Wildlife*, 9(3), 165–179.
13. Holsman, R. H., Petchenik, J., & Cooney, E. E. (2010). CWD After "the Fire": Six Reasons Why Hunters Resisted Wisconsin's Eradication Effort. *Human Dimensions of Wildlife*, 15(3), 180–193.
14. Kilpatrick, H. J., LaBonte, A. M., & Barclay, J. S. (2010). Use of Bait to Increase Archery Deer Harvest in an Urban–Suburban Landscape. *Journal of Wildlife Management*, 74(4), 714–718.
15. Kjaer, L.J., Schauber, E.M., & Nielsen, C.K. (2008). Spatial and temporal analysis of contact rates in female white-tailed deer. *Journal of Wildlife Management*, 72(8), 1819–1825.
16. Langenau, E.E., Flegler, E.J., & Hill, H.R. (1984). Deer hunters' opinion survey. Michigan Department of Natural Resources, Wildlife Division Report No. 3012.
17. Mateus-Pinilla, N., Weng, H.Y., Ruiz, M.O., Shelton, P., & Novakofski, J. (2013). Evaluation of a wild white-tailed deer population management program for controlling chronic wasting disease in Illinois, 2003–2008. *Preventive Veterinary Medicine*, 110(3-4), 541–548.
18. Miller, R., Kaneene, J. B., Fitzgerald, S. D., & Schmitt, S. M. (2003). Evaluation of the influence of white-tailed deer (*Odocoileus virginianus*) on the prevalence of bovine tuberculosis in the Michigan wild deer population. *Journal of Wildlife Diseases*, 39(1), 84–95.
19. Miller, M. W., Williams, E.S., Hobbs, N.T., & Wolfe, L.L. (2004). Environmental sources of prion transmission in mule deer. *Emerging Infectious Diseases*, 10(6), 1003–1006.
20. Miller, M. W., Hobbs, N.T., & Tavener, S.J. (2006). Dynamics of prion disease transmission in mule deer. *Ecological Applications*, 16, 2208–2214.
21. Minnis, D.L., & Peyton, R.B. (1994). 1993 Michigan deer hunter survey: Deer baiting. Report to Michigan Department of Natural Resources, Wildlife Division. East Lansing, MI: Michigan State University Department of Fisheries and Wildlife.
22. Murray, M. H., Becker, D. J., Hall, R. J., & Hernandez, S. M. (2016). Wildlife health and supplemental feeding: A review and management recommendations. *Biological Conservation*, 204, 163–174.
23. Rudolph, B. A., Riley, S. J., Hickling, G. J., Frawley, B. J., Garner, M. S., & Winterstein, S. R. (2006). Regulating Hunter Baiting for White-Tailed Deer in Michigan: Biological and Social Considerations. *Wildlife Society Bulletin*, 34(2), 314–321.
24. South Carolina Department of Natural Resources. (n.d.). A retrospective on hunting deer over bait in South Carolina: Can baiting negatively affect hunter success and deer harvest rates? Retrieved from: <http://www.dnr.sc.gov/wildlife/deer/baitlaw/deerdata.html>
25. Silbernagel, E.R., et al. (2001). Interaction among deer in a chronic wasting disease endemic zone. *Journal of Wildlife Management*, 75(6), 1453–1461.
26. Sorensen, A., van Beest, F. M., & Brook, R. K. (2014). Impacts of wildlife baiting and supplemental feeding on infectious disease transmission risk: A synthesis of knowledge. *Preventive Veterinary Medicine*, 113(4), 356–363.
27. Thompson, A. K., Samuel, M. D., & Van Deelen, T. R. (2008). Alternative feeding strategies and potential disease transmission in Wisconsin white-tailed deer. *The Journal of Wildlife Management*, 72(2), 416–421.
28. The Wildlife Society. (2006). Baiting and supplemental feeding of game wildlife species. Technical Review 06-1.
29. Van Deelen, T., & Etter, D. (2003). Effort and the Functional Response of Deer Hunters. *Human Dimensions of Wildlife*, 8(2), 097–108.
30. Van Deelen, T. R., Dhuey, B., McKaffery, J. C., & Rolley, R. E. (2006). Relative effects of baiting and supplemental antlerless seasons on Wisconsin's 2003 deer harvest. *Wildlife Society Bulletin (1973-2006)*, 34(2), 322–328.

31. VerCauteren, K.C., et al. (2007). Elk use of wallows and potential chronic wasting disease transmission. *Journal of Wildlife Diseases*, 43(4), 784-788.
32. Winterstein, S.R. (1992). Michigan hunter opinion surveys. Report to Michigan Department of Natural Resources, Wildlife Division. Eat Lansing, MI: Michigan State University Department of Fisheries and Wildlife.
33. Williamson, S. J. (2000). Feeding wildlife...just say no! Wildlife Management Institute, Washington, D.C., USA.
34. Williams, E.S., Kirkwood, J.K., & Miller, M.W. (2001). Transmissible spongiform encephalopathies. In E.S. Williams & I.K. Barker (Eds.), *Infectious diseases of wild mammals 3rd edition* (pp. 292-301). Ames, IA: Iowa State University Press.
35. Zimmer, N., Boxall, P. C., & Adamowicz, W. L. (Vic). (2011). The Impact of Chronic Wasting Disease and its Management on Hunter Perceptions, Opinions, and Behaviors in Alberta, Canada. *Journal of Toxicology and Environmental Health, Part A*, 74(22–24), 1621–1635.
36. Mathiason, C.K., Hays, S.A., Powers, J., Hayes-Klug, J., & Langenberg, J. (2009). Infectious prions in pre-clinical deer and transmission of chronic wasting disease solely by environmental exposure. *Plos One*, 4(6), e5916.
37. Haley, N.J., & Hoover, E.A. (2015). Chronic wasting disease of cervids: Current knowledge and future perspectives. *Annual Review of Animal Biosciences*, 3, 305-325.
38. Sharp, A., & Pastor, J. (2011). Stable limit cycles and the paradox of enrichment in a model of chronic wasting disease. *Ecological Applications*, 24(4), 1024-1030.
39. Needham, M. D., Vaske, J. J., & Manfredo, M. J. (2004). Hunters' Behavior and Acceptance of Management Actions Related to Chronic Wasting Disease in Eight States. *Human Dimensions of Wildlife*, 9(3), 211–231.
40. Lischka, S. A., Shelton, P., & Buhnerkempe, J. (2010). Support for Chronic Wasting Disease Management Among Residents of the Infected Area in Illinois. *Human Dimensions of Wildlife*, 15(3), 229–232.
41. Petchenik, J. (2003). Chronic wasting disease in Wisconsin and the 2002 hunting season: Gun deer hunters' first response. Wisconsin Department of Natural Resources.
42. Hanisch-Kirkbride, S. L., Riley, S. J., & Gore, M. L. (2013). *Wildlife disease and risk perception*. *Journal of Wildlife Diseases*, 49(4), 841–849.

## Carcass Disposal

1. Angers, R.C., Browning, S.R., Seward, T.S., Sigurdson, C.J., Miller, M.W., Hoover, E.A., & Telling, G.C. (2006). Prions in skeletal muscles of deer with chronic wasting disease. *Science*, 311(5764), 1117-1117.
2. Crocenzi, M. (2018, April 5). Central Pa. taxidermists and butchers worry CWD in deer will hurt business. *York Daily Record*. Retrieved from <https://www.ydr.com/story/news/2018/04/05/taxidermists-and-butchers-consider-whats-next-pa-game-commission-considering-how-fight-cwd-what/484889002/>.
3. Environmental Protection Agency (EPA) (2004). Region 8. Recommended Best Management Practices for Disposal of Laboratory Waste Potentially Contaminated with Chronic Wasting Disease (CWD).
4. Fox, K. A., Jewell, J.E., Williams, E.S., & Miller, M.W. (2006). Patterns of PrP<sup>Sc</sup> accumulation during the course of chronic wasting disease infection in orally inoculated mule deer (*Odocoileus hemionus*). *Journal of General Virology*, 80, 3451-3461.
5. Frawley, B.J. (2017). 2016 Michigan deer harvest survey report. Michigan Department of Natural Resources, Wildlife Report No. 3639.
6. International Association of Fish and Wildlife Agencies. (2006). Transport and disposal of hunter-killed cervid carcasses: Recommendations to wildlife agencies to reduce chronic wasting disease risks. Carcass transport and disposal working group. Retrieved from <http:// cwd-info.org/wp-content/uploads/2017/01/CarcassGuidelines.pdf>
7. Johnson, C.J., et al. (2006). Prions adhere to soil minerals and remain infectious. *Plos Pathogens*, 2(4), 296-302.
8. Johnson, C.J., et al. (2007). Oral transmissibility of prion disease is enhanced by binding to soil particles. *Plos Pathogens*, 3(7), 874-881.
9. Kramm, C., Pritzkow, S., Lyon, A., Nichols, T., Morales, R., & Soto, C. (2017). Detection of prions in blood of cervids at the asymptomatic stage of chronic wasting disease. *Scientific Reports*, 7(1), 17241.
10. Miller, M. W., Williams, E.S., Hobbs, N.T., & Wolfe, L.L. (2004). Environmental sources of prion transmission in mule deer. *Emerging Infectious Diseases*, 10(6), 1003-1006.
11. Miller, M. W., Hobbs, N.T., & Tavener, S.J. (2006). Dynamics of prion disease transmission in mule deer. *Ecological Applications*, 16, 2208–2214
12. New York State Department of Environmental Conservation. (2013). Surveillance plan for chronic wasting disease in New York State 2013-2014. Retrieved from [http://www.dec.ny.gov/docs/wildlife\\_pdf/cwdsurplan13web.pdf](http://www.dec.ny.gov/docs/wildlife_pdf/cwdsurplan13web.pdf)

13. Rogers, K. G., Robinson, S.J., & Grear, D.A. (2011). Diversity and distribution of white-tailed deer mtDNA lineages in chronic wasting disease (CWD) outbreak areas in Southern Wisconsin, USA. *Journal of Toxicology and Environmental Health*, 74(22-24), 1521-1535.
14. Schuler, K. L., Wetterau, A. M., Bunting, E. M., & Mohammed, H. O. (2016). Exploring perceptions about chronic wasting disease risks among wildlife and agriculture professionals and stakeholders: Exploring CWD Risk Perceptions. *Wildlife Society Bulletin*, 40(1), 32–40.
15. Wisconsin Department of Natural Resources. (2002). Disposal and landfilling of deer carcasses risk assessment. Retrieved from: [https://docs.legis.wisconsin.gov/2001/related/public\\_hearing\\_records/jcr\\_adminstrative\\_rules/miscellaneous\\_misc/01hr\\_jcr\\_ar\\_misc\\_pt44.pdf](https://docs.legis.wisconsin.gov/2001/related/public_hearing_records/jcr_adminstrative_rules/miscellaneous_misc/01hr_jcr_ar_misc_pt44.pdf)
16. Mathiason, C.K., Hays, S.A., Powers, J., Hayes-Klug, J., & Langenberg, J. (2009). Infectious prions in pre-clinical deer and transmission of chronic wasting disease solely by environmental exposure. *Plos One*, 4(6), e5916.
17. Osnas, E.E., Heisey, D.M., Rolley, R.E., & Samuel, M.D. (2009). Spatial and temporal patterns of chronic wasting disease: Fine-scale mapping of a wildlife epidemic in Wisconsin. *Ecological Applications*, 19(5), 1311-1322.
18. Miller, M.W., Swanson, H.M., Wolfe, L.L., Quartarone, F.G., Huwer, S.L., Southwick, C.H., & Lukacs, P.M. (2008). Lions and prions and deer demise. *Plos One*, 3(12), e4019.

### Culling

1. Brown, T. L., D. J. Decker, S. J. Riley, J. W. Enck, T. B. Lauber, P. D. Curtis, and G. F. Mattfeld. 2000. The future of hunting as a mechanism to control white-tailed deer in populations. *Wildlife Society Bulletin*. 28(4):797-807.
2. DeNicola, A. J., S. J. Weber, C. A. Bridges, and J. L. Stokes. 1997. Nontraditional techniques for management of overabundant deer populations. *Wildlife Society Bulletin*. 25(2): 496-499.
3. DeNicola, A. J., D. R. Etter, and T. Almendinger. 2008. Demographic of non-hunted white-tailed deer populations in suburban areas. *Human-Wildlife Conflicts*. 2(1): 102-109.
4. Etter, D. R., T. R. Van Deelen, D. R. Ludwig, S. N. Kobal, and R. E. Warner. 2000. Management of white-tailed deer in Chicago, Illinois forest preserves. *Proceedings of Vertebrate Pest Conference* 19: 190-196.
5. Hewitt, D. G. 2011. Biology and management of white-tailed deer. Boca Raton, Florida, USA.
6. Jennell, C. S., V. Henaux, G. Wasserberg, B. Thiagarajan, R. R. Rolley, and M. D. Samuel. 2014. Transmission of chronic wasting disease in Wisconsin white-tailed deer: implications for disease spread and management. *PLoS ONE* 9: e91043.
7. Kilpatrick, H. J., A. M. LaBonte, and J. T. Seymour. 2002. A shotgun-archery deer hunt in a residential community: evaluation of hunt strategies and effectiveness. *Wildlife Society Bulletin*. 30(2): 478-486.
8. Manjerovic, M. B., M. L. Green, N. Mateus-Pinilla, and J. Novakofski. 2013. The importance of localized culling in stabilizing chronic wasting disease prevalence in white-tailed deer populations. *Preventative Veterinary Medicine*: <http://dx.doi.org/10.1016/j.prevetmed.2013.09.011>
9. Mateus-Pinilla, N. E., H. -Y. Weng, M. O. Ruiz, P. Shelton, J. Novakofski. 2013. Evaluation of a white-tailed deer population management program for controlling chronic wasting disease in Illinois, 2003-2008. *Preventative Veterinary Medicine*. 110: 541-548.
10. Riley, S. J., D. J. Decker, J. W. Enck, P. D. Curtis, T. B. Lauber, and T. L. Brown. 2003. Deer populations up, hunter populations down: implications of interdependence of deer and hunter population dynamics. *Ecoscience*. 10(4): DOI: 10.1080/11956860.2003.11682793
11. Tosa, M. I., E. M. Schaub, and C. K. Nielson. 2017. Localized removal affects white-tailed deer space use and contacts. *The Journal of Wildlife Management*. 81(1): 26-37.
12. Uehlinger, F. D., A. C. Johnston, T. K. Bollinger, and C. L. Waldner. 2016. Systematic review of management strategies to control chronic wasting disease in wild deer populations in North American. *BMC Veterinary Research*. 12: DOI 10.1186/s12917-016-0804-7
13. Van Deelen, T. and D. Etter. 2003. Effort and the functional response of deer hunters. *Human Dimensions of Wildlife* 8:97-108.
14. VerCauteren, K. C., and S. E. Hygnstrom. 2000. Deer population management through hunting in a suburban nature area in eastern Nebraska. *Proceedings of Vertebrate Pest Conference* 19: 101-106.

## Surveillance

1. Almberg, E. S., P. C. Johnson, D. M. Heisey, and B. J. Richards. 2011. Modeling routes of transmission: Environmental prion persistence promotes deer population decline and extinction. *PLoS ONE* 6.
2. AFWA Best Management Practices for Surveillance, Management and Control of Chronic Wasting Disease (CWD): A Report of the Association of Fish and Wildlife Agencies. Draft in progress.
3. Gortazar, C, I. Diez-Delgado, J. A. Barasona, J. Vincent, J. De La Fuente and M. Boadella. 2015. The wild side of disease control at the wildlife-livestock-human interface: a review. *Frontiers in Veterinary Science*. Vol. 1, p. 1-12.
4. Gear, D.A., M.D. Samuel, J. A. Langenberg and D. Keane. 2006. Demographic patterns and harvest vulnerability of chronic wasting disease infected white-tailed deer in Wisconsin: *Journal of Wildlife Management*, v. 70, p. 546-533
5. Gross, J. E. and M. W. Miller. 2000. Chronic Wasting Disease in Mule Deer: Disease Dynamics and Control. *Journal of Wildlife Management* 65:205:215.
6. Heisey, D.M., E.E. Osnas, P.C. Cross, D.O. Joly, J.A. Langenberg and M.W. Miller. 2010. Linking process to pattern: Estimating spatiotemporal dynamics of a wildlife epidemic from cross-sectional data: *Ecological Monographs*, v. 80, p. 221-240.
7. Joly, D. O., M. D. Samuel, J. A. Langenberg, R. E. Rolley, and D. P. Keane. 2009. Surveillance to detect chronic wasting disease in white-tailed deer in Wisconsin. *Journal of wildlife diseases* 45:989-997.  
<http://www.jwildlifedis.org/doi/abs/10.7589/0090-3558-45.4.989>
8. Miller, M. W. and M. M. Conner. 2005. Epidemiology of chronic wasting disease in free ranging mule deer: Spatial, temporal, and demographic influences on observed prevalence patterns: *Journal of Wildlife Diseases*, v. 41, p. 275-290
9. Miller, M. W., E. S. Williams, C. W. McCarty, T. R. Spraker, T. J. Kreeger, C. T. Larsen, and E. T. Thorne. 2000. Epizootiology of chronic wasting disease in free-ranging cervids in Colorado and Wyoming. *Journal of wildlife diseases* 36:676-690.
10. Osnas, E. E., Heisey, D. M., Rolley, R. E., and Samuel, M. D. 2009. Spatial and temporal patterns of chronic wasting disease: Fine-scale mapping of a wildlife epidemic in Wisconsin: *Ecological Applications*, v. 19, p. 1311-1322.
11. Walsh, D. P., ed., 2012. Enhanced surveillance strategies for detecting and monitoring chronic wasting disease in free-ranging cervids: U.S. Geological Survey Open-File Report 42. <http://pubs.usgs.gov/of/2012/1036/>
12. Walsh, D. P., M. W. Miller. 2010. A weighted surveillance approach for detecting chronic wasting disease foci. *Journal of wildlife diseases* 46:118-135

## Live animal movements and Bio-security

1. Williams, E.S. and M.W. Miller, *Transmissible spongiform encephalopathies in non-domestic animals: origin, transmission and risk factors*. Revue Scientifique Et Technique De L Office International Des Epizooties, 2003. **22**(1): p. 145-156.
2. Miller, M.W. and J.R. Fischer, *The first five (or more) decades of chronic wasting disease: lessons for the five decades to come*. Transactions of the North American Wildlife and Natural Resources Conference, 2016. **81**: p. (in press).
3. Wolfe, L.L., et al., *Evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer*. *Journal of Wildlife Management*, 2002. **66**(3): p. 564-573.
4. Wolfe, L.L., et al., *PrPCWD in rectal lymphoid tissue of deer (*Odocoileus spp.*)*. *Journal of General Virology*, 2007. **88**: p. 2078-2082.
5. Keane, D., et al., *Validation of Use of Rectoanal Mucosa-Associated Lymphoid Tissue for Immunohistochemical Diagnosis of Chronic Wasting Disease in White-Tailed Deer (*Odocoileus virginianus*)*. *Journal of Clinical Microbiology*, 2009. **47**(5): p. 1412-1417.
6. Spraker, T.R., et al., *Antemortem detection of PrP(CWD) in preclinical, ranch-raised Rocky Mountain elk (*Cervus elaphus nelsoni*) by biopsy of the rectal mucosa*. *Journal of Veterinary Diagnostic Investigation*, 2009. **21**(1): p. 15-24.
7. Thomsen, B.V., et al., *Diagnostic accuracy of rectal mucosa biopsy testing for chronic wasting disease within white-tailed deer (*Odocoileus virginianus*) herds in North America: Effects of age, sex, polymorphism at PRNP codon 96, and disease progression*. *Journal of Veterinary Diagnostic Investigation*, 2012. **24**(5): p. 878-887.
8. Geremia, C., et al., *AGE AND REPEATED BIOPSY INFLUENCE ANTEMORTEM PRPCWD TESTING IN MULE DEER (*ODOCOILEUS HEMIONUS*) IN COLORADO, USA*. *Journal of Wildlife Diseases*, 2015. **51**(4): p. 801-810.
9. Haley, N.J., et al., *Seeded Amplification of Chronic Wasting Disease Prions in Nasal Brushings and Recto-anal Mucosa-Associated Lymphoid Tissues from Elk by Real-Time Quaking-Induced Conversion*. *Journal of Clinical Microbiology*, 2016. **54**(4): p. 1117-1126.
10. Haley, N.J., et al., *Antemortem Detection of Chronic Wasting Disease Prions in Nasal Brush Collections and Rectal Biopsy Specimens from White-Tailed Deer by Real-Time Quaking-Induced Conversion*. *Journal of Clinical Microbiology*, 2016. **54**(4): p. 1108-1116.

11. Williams, E.S. and M.W. Miller, *Chronic wasting disease in deer and elk in North America*. Revue Scientifique Et Technique De L'Office International Des Epizooties, 2002. **21**(2): p. 305-316.
12. Williams, E.S., et al., *Chronic wasting disease of deer and elk: A review with recommendations for management*. Journal of Wildlife Management, 2002. **66**(3): p. 551-563.
13. Gerhold, R. and G. Hickling, *Diseases associated with translocation of captive cervids in North America*. Wildlife Society Bulletin, 2016. **40**(1): p. 25-31.
14. Williams, S.C. and M.A. Gregonis, *Survival and Movement of Rehabilitated White-Tailed Deer Fawns in Connecticut*. Wildlife Society Bulletin, 2015. **39**(3): p. 664-669.
15. Beringer, J., et al., *Post-release survival of rehabilitated white-tailed deer fawns in Missouri*. Wildlife Society Bulletin, 2004. **32**(3): p. 732-738.
16. Evans, T.S., K.L. Schuler, and W.D. Walter, *Surveillance and Monitoring of White-Tailed Deer for Chronic Wasting Disease in the Northeastern United States*. Journal of Fish and Wildlife Management, 2014. **5**(2): p. 387-393.
17. Hoover, C.E., et al., *Pathways of Prion Spread during Early Chronic Wasting Disease in Deer*. Journal of Virology, 2017. **91**(10): p. 15.
18. Selaru, A., et al., *In utero transmission and tissue distribution of chronic wasting disease-associated prions in free-ranging Rocky Mountain elk*. Journal of General Virology, 2015. **96**: p. 3444-3455.
19. Spraker, T.R., et al., *Distribution of protease-resistant prion protein and spongiform encephalopathy in free-ranging mule deer (*Odocoileus hemionus*) with chronic wasting disease*. Veterinary Pathology, 2002. **39**(5): p. 546-556.
20. Sigurdson, C.J., *A prion disease of cervids: Chronic wasting disease*. Veterinary Research, 2008. **39**(4).
21. Sigurdson, C.J., et al., *Oral transmission and early lymphoid tropism of chronic wasting disease PrPres in mule deer fawns (*Odocoileus hemionus*)*. Journal of General Virology, 1999. **80**: p. 2757-2764.
22. Williams, E.S., *Chronic wasting disease*. Veterinary Pathology, 2005. **42**(5): p. 530-549.
23. Kramm, C., et al., *Detection of Prions in Blood of Cervids at the Asymptomatic Stage of Chronic Wasting Disease*. Scientific Reports, 2017. **7**: p. 8.
24. Safar, J.G., et al., *Transmission and detection of prions in feces*. Journal of Infectious Diseases, 2008. **198**(1): p. 81-89.
25. Gonzalez-Romero, D., et al., *Detection of infectious prions in urine*. Febs Letters, 2008. **582**(21-22): p. 3161-3166.
26. Plummer, I.H., et al., *Temporal patterns of chronic wasting disease prion excretion in three cervid species*. Journal of General Virology, 2017. **98**(7): p. 1932-1942.
27. Haley, N.J., et al., *Detection of CWD Prions in Urine and Saliva of Deer by Transgenic Mouse Bioassay*. Plos One, 2009. **4**(3).
28. Haley, N.J., et al., *Detection of CWD Prions in Salivary and Urinary Tissues of Deer: Potential Mechanisms of Pathogenesis and Prion Shedding*. Prion, 2010. **4**(3): p. 150-150.
29. Zabel, M. and A. Ortega, *The Ecology of Prions*. Microbiology and Molecular Biology Reviews, 2017. **81**(3): p. 10.
30. Bartelt-Hunt, S.L. and J.C. Bartz, *Behavior of Prions in the Environment: Implications for Prion Biology*. Plos Pathogens, 2013. **9**(2): p. 3.
31. Smith, C.B., C.J. Booth, and J.A. Pedersen, *Fate of Prions in Soil: A Review*. Journal of Environmental Quality, 2011. **40**(2): p. 449-461.
32. Jennelle, C.S., et al., *Deer Carcass Decomposition and Potential Scavenger Exposure to Chronic Wasting Disease*. Journal of Wildlife Management, 2009. **73**(5): p. 655-662.
33. VerCauteren, K.C., et al., *Prion Remains Infectious after Passage through Digestive System of American Crows (*Corvus brachyrhynchos*)*. Plos One, 2012. **7**(10): p. 4.
34. Jennelle, C.S., et al., *Surveillance for Transmissible Spongiform Encephalopathy in Scavengers of White-Tailed Deer Carcasses in the Chronic Wasting Disease Area of Wisconsin*. Journal of Toxicology and Environmental Health-Part a-Current Issues, 2009. **72**(17-18): p. 1018-1024.
35. Miller, M.W., et al., *Lions and Prions and Deer Demise*. PLoS ONE, 2008. **3**(12): p. e4019.
36. Agriculture, M.D.o., *Bodies of dead animals: Public Act 239 of 1982*. 1982.
37. Henderson, D.M., et al., *Quantitative assessment of prion infectivity in tissues and body fluids by real-time quaking-induced conversion*. Journal of General Virology, 2015. **96**: p. 210-219.
38. Henderson, D.M., et al., *Longitudinal Detection of Prion Shedding in Saliva and Urine by Chronic Wasting Disease-Infected Deer by Real-Time Quaking-Induced Conversion*. Journal of Virology, 2015. **89**(18): p. 9338-9347.
39. Maine Department of Inland Fisheries and Wildlife, 2012. *Resolve directing the Department of Inland Fisheries and Wildlife to study scents used in hunting deer and renderings used in deer feed*. Augusta, ME.